

GLRT Detectors Based Cognitive Radio (CR) Energy Detection Systems with Arrivals of Primitive users on Spectrum Sensing

B.Vembu¹, J.Aruna² and A.Ambika³

¹Assistant Professor, Department of Electronics and Communication Engineering, Ariyalur Engineering College, Ariyalur, Tamilnadu, India.

^{2,3}UG Students, Department of Electronics and Communication Engineering, Ariyalur Engineering College, Ariyalur, Tamilnadu, India.

Article Received: 27 January 2018

Article Accepted: 23 February 2018

Article Published: 15 April 2018

ABSTRACT

The timing misalignment issue should be considered for spectrum sensing in cognitive radio (CR) systems due to the random arrival of primary users, such as CR-based femto cell networks. To deal with this issue, two approaches Bayesian and generalized likelihood ratio test (GLRT) detectors are dealt in this paper. To design a low - complexity energy detector (ED), this work proposes an ED scheme based on the GLRT algorithm. As a result, maximum-likelihood estimation for the timing misalignment is devised, and the performance of the proposed scheme is analyzed. The results show that the proposed GLRT detector features a low-complexity and satisfactory performance. In this paper, we investigate a Locally Optimum (LO) detection of random signals under a weakly correlated noise model over fading channels. Therefore, we try to come up with an LO detection technique with comparable complexity to energy detection for correlated noise environments.

Keywords: Cognitive radio (CR), energy detector (ED), generalized likelihood ratio test (GLRT) and spectrum sensing.

1. INTRODUCTION

Radio Frequency (RF) spectrum is an expensive and limited resource for wireless communications. The increasing demands for additional bandwidth have led to studies that indicate the spectrum assigned to primary license holders is under-utilized. Cognitive radio technology helps to use the RF spectrum more efficiently, by introducing secondary usage of the spectrum licensed to primary users (PU) but with a lower priority. A cognitive radio is able to change its transmitter parameters based on interaction with the environment. Secondary users (SU's) equipped with cognitive radios can sense the spectrum and dynamically use spectrum holes in PU frequency bands for data transmission. Secondary users are not allowed to introduce any interference to the primary license holders. Therefore, before starting their transmission, they need to be aware of the presence of the PUs.

Spectrum sensing is one method for detecting the presence or absence of a primary license holder. This is a challenging task because the PU signal is usually very weak due to fading, shadowing, etc. There are a few main categories of spectrum sensing including matched filtering, energy detection cyclostationarity-based detection and eigen value-based detection. Energy detection is the simplest method but it is optimized for impairment with additive white Gaussian noise (AWGN). As a particular example, some of the characteristics of noise within power substation for smart grid wireless monitoring applications, In the noise as experimentally measured presents several characteristics, one of them being correlation in the time domain.

The noise models needed in these cases quickly become complicated and involve most often Markov transition models. In this paper, we investigate a Locally Optimum (LO) detection of random signals under a weakly correlated noise model over fading channels. In practice, simple energy detection [6] is often preferred over more complex detection techniques. Therefore, we try to come up with an LO detection technique with comparable complexity to energy detection for correlated noise environments.

2. RELATED WORK

Teng Joon Lim, Rui Zhang, Ying Chang Liang and Yonghong Zeng, “GLRT-Based Spectrum Sensing for Cognitive Radio”: In this paper, they propose several spectrum sensing methods designed using the generalized likelihood ratio test (GLRT) paradigm, for application in a cognitive radio network. The proposed techniques utilize the eigenvalues of the sample covariance matrix of the received signal vector, taking advantage of the fact that in practice, the primary signal in a cognitive radio environment will either occupy a subspace of dimension strictly smaller than the dimension of the observation space, or have a spectrum that is non-white.

Tao Han and Nirwan Ansari, “Proposed Enabling Mobile Traffic Offloading via Energy Spectrum Trading”: In this paper, they had proposed a novel energy spectrum trading (EST) scheme which enables the macro BSs to offload their mobile traffic to Internet service providers’ (ISPs’) wireless access points by leveraging cognitive radio techniques. However, in the EST scheme, achieving optimal mobile traffic offloading in terms of minimizing the energy consumption of the macro BSs is NP-hard. They thus propose a heuristic algorithm to approximate the optimal solution with low computation complexity. They have proved that the energy savings achieved by the proposed heuristic algorithm is at least 50% of that achieved by the brute-force search. Simulation results demonstrate the performance and viability of the proposed EST scheme and the heuristic algorithm.

M. Lo´pez-Benítez F. Casadevall, Universitat Politècnica de Catalunya, “Improved energy detection spectrum sensing for cognitive radio”: They had developed this work, that proposes and evaluates an improved version of the energy detection algorithm that is able to outperform the classical energy detection scheme while preserving a similar level of algorithm complexity as well as its general applicability regardless of the particular signal format or structure to be detected. The performance improvement is evaluated analytically and corroborated with the experimental results.

Wen-Long Chin, Chun-Wei Kao, Hsiao-Hwa Chen, and Teh-Lu Liao, “Iterative Synchronization-Assisted Detection of OFDM Signals in Cognitive Radio Systems”: They proposed an iterative synchronization-assisted OFDM signal detection scheme for cognitive radio (CR) applications over multipath channels in low-SNR regions. To detect an OFDM signal, a log-likelihood ratio (LLR) test is employed without additional pilot symbols using a cyclic prefix (CP). Analytical results indicate that the LLR of received samples at a low SNR can be approximated by their log-likelihood (LL) functions, thus allowing us to estimate synchronization parameters for signal detection.

Xueqing Huang, Tao Han, and Nirwan Ansari, “On Green- Energy- Powered Cognitive Radio Networks: This paper surveys the energy efficient cognitive radio techniques and the optimization of green energy powered wireless networks. Green energy powered cognitive radio (CR) network is capable of liberating the wireless access networks from spectral and energy constraints. The limitation of the spectrum is alleviated by exploiting cognitive networking in which wireless nodes sense and utilize the spare spectrum for data communications. Green energy powered CR increases the network availability and thus extends emerging network applications.

3. EXISTING METHODOLOGY

An iterative synchronization assisted OFDM signal detection scheme for cognitive radio (CR) applications over multipath channels in low - SNR regions. To detect an OFDM signal , a log - likelihood ratio (LLR) test is employed without additional pilot symbols using a cyclic prefix (CP).Analytical results indicate that the LLR of received samples at a low SNR can be approximated by their log - likelihood (LL) functions, thus allowing us to estimate synchronization parameters for signal detection.

4. PROBLEMS IN THE EXISTING SYSTEM

In existing systems, spectrum utilization is not efficient and having high complexity to design of Energy Detector. Performance of noise is high and timing misalignment issue is not considered. Detection output is low.

5. PROPOSED WORK

Generalized likelihood ratio test (GLRT) detector to tackle the issue on random arrivals of primary users that follow a Poisson process, while that in proposed a Bayesian detector for uniform arrival times. However, the distribution of timing misalignments is essentially unknown in a real system. In this paper, we will demonstrate that by treating certain parameters as unknowns in the probability distribution of the observations with and without the primary signal present, using the generalized likelihood ratio test (GLRT) and then making certain reasonable assumptions, a number of attractive algorithms for spectrum sensing result. The probability density function (pdf) of x ,

$$f_x(x[n]|\mathcal{H}_1) = \frac{\exp\left(-\frac{|x[n]|^2}{\sigma_v^2}\right)}{\pi\sigma_v^2}$$


E_1 and E_2 are independent because they concern different sets of random variables.

$$\mathcal{E}_1 \equiv \left\{ \bigcap_{i=1}^{n_0-j} \Omega(\tilde{n}_0 = n_0 - j) > \Omega(\tilde{n}_0 = n_0 - j - i) \right\},$$

The joint distribution of $Z = (Z_1, \dots, Z_{n_0-j})^T$ can be shown to obey a density function as

$$P(\mathcal{E}_2) = \beta^j \beta^{(N-n_0-1)} \sum_{r=0}^{\infty} q_{N-n_0-1,r} \beta^{r-(r+1)} \\ \times \Gamma(r+1, (N+j-n_0-1)C_1\beta^r),$$

And $g_0, 0 = 1$. Notably, $q_{\cdot, \cdot}$ and $g_{\cdot, \cdot}$ can be iteratively derived. Likewise, the probability for \hat{n}_0 to be located on the right-hand side of n_0 with an offset $j, j > 0$, is written as



5.1. Proposed GLRT detector

Based on ML estimation, when $\hat{n}_0 = n_0$, all useful signals of length $N - n_0$ can be used for detection, and the proposed detector offers the same performance as the benchmark. When $\hat{n}_0 \neq n_0$, there are two distinct cases defined as follows. 1) $\hat{n}_0 = n_0 - j$, where $j > 0$. In addition to $N - n_0$ useful samples, j unwanted noise samples will also be utilized for detection. 2) $\hat{n}_0 = n_0 + j$, where $j > 0$. The number of useful samples reduces to $N - n_0 - j$.


The proposed energy detection algorithm can be expressed as

$$P(\mathcal{E}_3) = 1 - e^{-\beta^r C_1} + \beta^{t(j)} \beta^{n_0} \sum_{r=0}^{\infty} \frac{C_1^{j-1, r}}{r+1} C_1^{r+1},$$

Where $N - \hat{n}_0$ denotes the decision threshold and is a function of the number of available samples, $N - \hat{n}_0$, used for detection.

5.2. LO Detector

The detection of idle spectra is typically considered as a binary hypothesis test in a low signal to noise ratio (SNR) region. The performance of LO detection is measured using false alarm and detection probabilities. LO detector is shown in fig:5.2.a. In fading channel, these two probabilities depend on the channel gain h and we need to perform averaging over h in order to find final average false alarm and detection probabilities. We have derived theoretical averages for these probabilities under fading condition.



In order to validate these theoretical results, we perform simulations over a large number of channel gains and obtain averages. We will show that the simulation results are in good match with theoretical results. The

performance of the proposed locally optimum detection is shown to be better compared to the simple energy detection. In case the estimated correlation between noise samples is different from the real correlation, we have also derived the detection and false alarm probabilities and their theoretical averages in terms of both estimated and actual correlations and investigated the effect of correlation mismatch on the performance of the proposed detection method.

6. SIMULATION RESULTS

The simulation results matches the analytical results, the performance $P(\hat{n}_0 | n_0)$ of the proposed ML estimation with arrival time $n_0 = N/2 = 80$, plotted as a function of sampling point \hat{n}_0 for $\xi = 0$ dB and -5 dB, is presented in Fig.6.1. The simulation results are depicted below are Fig. 6.2 plots the probability of detection P_d versus SNR for the proposed GLRT detector and conventional ED (under perfect synchronization) with $P_{fa} = 0.1$. The arrival time is assumed to be uniformly distributed over $0 \leq n_0 \leq 159$.




Fig 6.1 Estimation performance $P(\hat{n}_0 | n_0)$ with $n_0 = 80$

The conventional ED under perfect synchronization is used as a benchmark. Fig. 6.3 plots the receiver operating characteristic (ROC), i.e., P_d , which was plotted as a function of P_{fa} of the proposed GLRT detector and conventional ED (under perfect synchronization) for $\xi = -8$ dB. As displayed in the figure 6.3, the performance of the GLRT detector can, still approach that of the benchmark consistently for any P_{fa} . This plot further confirms the performance of the proposed detector under both H_0 and H_1 . Fig. 6.4 plots the probability of detection P_d versus SNR with $P_{fa} = 0.1$. The arrival time is assumed to be exponentially distributed with mean arrival time $\lambda^{-1} = 30$. As verified in the figure, the GLRT detector is not sensitive to the distribution of delay (which is typically unknown), and its performance can still approach that of the benchmark, which is also observed in Fig. 6.3.




Fig 6.4 Probability of detection P_d versus SNR ξ . The arrival time n_0 is assumed to be exponentially distributed with mean arrival time $\lambda^{-1} = 30$.




Fig 6.2 Probability of detection P_d versus SNR ζ




Fig 6.3 ROC plotted as a function of P_{fa} . The arrival time τ_0 is assumed to be uniformly distributed.




Fig 6.5 Detection probability P_d vs SNR ζ of LO and ED detector




Fig 6.6 Detection probability P_d vs no. of samples N of LO and ED detector

7. CONCLUSION

In many wireless communication systems, especially for studies on CR femto cell networks, spectrum sensing in asynchronous transmission is an important aspect. Theoretical analysis on the proposed estimator and detector was given in this paper. In this sense, the proposed approach is practical and promising for real-time CR applications in the presence of unknown arrival times of the primary signals. Thus the proposed GLRT detector provides a low complexity detection and better performance. The detection of signals with low values of the Signal-to-Noise Ratio (SNR) (in the range -20 ± 0 dB) the statistical testing approach Locally Optimum Detector is used which provides better performance in the detection of weak signals.

REFERENCES

- [1] D. Qu, Z. Wang, and J. Tao, "Extended active interference cancellation for sidelobe suppression in cognitive radio OFDM systems with cyclic prefix," *IEEE Trans. Veh. Technol.*, vol. 59, no. 4, pp. 1689–1695, May 2010.
- [2] Muthukumar. N and Ravi. R, 'Hardware Implementation of Architecture Techniques for Fast Efficient loss less Image Compression System', *Wireless Personal Communications*, Volume. 90, No. 3, pp. 1291-1315, October 2016, SPRINGER.

- [3] Muthukumaran. N and Ravi. R, 'The Performance Analysis of Fast Efficient Lossless Satellite Image Compression and Decompression for Wavelet Based Algorithm', *Wireless Personal Communications*, Volume. 81, No. 2, pp. 839-859, March 2015, SPRINGER.
- [4] Muthukumaran. N and Ravi. R, 'VLSI Implementations of Compressive Image Acquisition using Block Based Compression Algorithm', *The International Arab Journal of Information Technology*, vol. 12, no. 4, pp. 333-339, July 2015.
- [5] Muthukumaran. N and Ravi. R, 'Simulation Based VLSI Implementation of Fast Efficient Lossless Image Compression System using Simplified Adjusted Binary Code & Golomb Rice Code', *World Academy of Science, Engineering and Technology*, Volume. 8, No. 9, pp.1603-1606, 2014.
- [6] Ruban Kingston. M, Muthukumaran. and N, Ravi. R, 'A Novel Scheme of CMOS VCO Design with reduce number of Transistors using 180nm CAD Tool', *International Journal of Applied Engineering Research*, Volume. 10, No. 14, pp. 11934-11938, 2015.
- [7] Muthukumaran. N and Ravi. R, 'Design and analysis of VLSI based FELICS Algorithm for lossless Image Compression', *International Journal of Advanced Research in Technology*, Vol. 2, No. 3, pp. 115-119, March 2012.
- [8] X. Wang, "Joint sensing-channel selection and power control for cognitive radios," *IEEE Trans. Wireless Commun.*, vol. 10, no. 3, pp. 958–967, Mar. 2011.
- [9] X. Huang, T. Han, and N. Ansari, "On green energy powered cognitive radio networks," *IEEE Commun. Surveys Tuts.*, vol. 17, no. 2, pp. 827–842, 2nd Quart. 2015.
- [10] Manoj Kumar. B and Muthukumaran. N, 'Design of Low power high Speed CASCADED Double Tail Comparator', *International Journal of Advanced Research in Biology Engineering Science and Technology*, Vol. 2, No. 4, pp.18-22, June 2016.
- [11] N. Muthukumaran, 'Analyzing Throughput of MANET with Reduced Packet Loss', *Wireless Personal Communications*, Vol. 97, No. 1, pp. 565-578, November 2017, SPRINGER.
- [12] P.Venkateswari, E.Jebitha Steffy, Dr. N. Muthukumaran, 'License Plate cognizance by Ocular Character Perception', *International Research Journal of Engineering and Technology*, Vol. 5, No. 2, pp. 536-542, February 2018.
- [13] N. Muthukumaran, Mrs R.Sonya, Dr.Rajashekhara and Chitra V, 'Computation of Optimum ATC Using Generator Participation Factor in Deregulated System', *International Journal of Advanced Research Trends in Engineering and Technology*, Vol. 4, No. 1, pp. 8-11, January 2017.
- [14] Keziah. J, Muthukumaran. N, 'Design of K Band Transmitting Antenna for Harbor Surveillance Radar Application', *International Journal on Applications in Electrical and Electronics Engineering*, Vol. 2, No. 5, pp. 16-20, May 2016.
- [15] Akhil. M.S and Muthukumaran. N, 'Design of Optimizing Adders for Low Power Digital Signal Processing', *International Journal of Engineering Research and Applications*, Vol. 5, pp. 59-65, March 2014.

- [16] Muthukumaran. N and Ravi. R, 'Quad Tree Decomposition based Analysis of Compressed Image Data Communication for Lossy and Lossless using WSN', World Academy of Science, Engineering and Technology, Volume. 8, No. 9, pp. 1543-1549, 2014.
- [17] Marvin Mark. M and Muthukumaran. N, 'High Throughput in MANET using relay algorithm and rebroadcast probability', International Journal of Engineering Research and Applications, Vol. 5, pp. 66-71, March 2014.
- [18] T. Han and N. Ansari, "Enabling mobile traffic offloading via energy spectrum trading," IEEE Trans. Wireless Commun., vol. 13, no. 6, pp. 3317–3328, Jun. 2014.
- [19] M. Lopez-Benitz and F. Casadevall, "Improved energy detection spectrum sensing for cognitive radio," IET Commun., vol. 6, no. 8, pp. 785–796, Jul. 2012.