

# On The Negative Pell Equation $y^2 = 5x^2 - 4$

K.Meena<sup>1</sup>, S.Vidhyalakshmi<sup>2</sup> and G.Dhanalakshmi<sup>3</sup>

<sup>1</sup>Former VC, Bharathidasan University, Trichy, Tamilnadu, India.

<sup>2</sup>Professor, Department of Mathematics, Shrimati Indira Gandhi College, Trichy, Tamilnadu, India.

<sup>3</sup>M.Phil scholar, Department of Mathematics, Shrimati Indira Gandhi College, Trichy, Tamilnadu, India.

Article Received: 24 July 2017

Article Accepted: 08 August 2017

Article Published: 11 August 2017

## ABSTRACT

The binary quadratic equation represented by the negative pellian  $y^2 = 5x^2 - 4$  is analyzed for its distinct integer solutions. A few interesting relations among the solutions are given. Further, employing the solutions of the above hyperbola, we have obtained solutions of other choices of hyperbolas, parabolas and special Pythagorean triangle.

Keywords: Binary quadratic, Hyperbola, Parabola, Integral solutions and Pell equation.

### 1. INTRODUCTION

Diophantine equation of the form  $y^2 = Dx^2 + 1$ , where D is a given positive square-free integer is known as pell equation and is one of the oldest Diophantine equation that has interesting mathematicians all over the world, since antiquity, J.L. Lagrange proved that the positive pell equation  $y^2 = Dx^2 + 1$  has infinitely many distinct integer solutions whereas the negative pell equation  $y^2 = Dx^2 - 1$  does not always have a solution. In [1], an elementary proof of a criterium for the solvability of the pell equation  $x^2 - Dy^2 = -1$  where D is any positive non-square integer has been presented. For examples the equations  $y^2 = 3x^2 - 1$ ,  $y^2 = 7x^2 - 4$  have no integer solution whereas  $y^2 = 54x^2 - 1$ ,  $y^2 = 202x^2 - 1$  have integer solutions. In this context, one may refer [2-17]. More specifically, one may refer "The on-line encyclopedia of integer sequences" (A031396, A130226, A031398) for values of D for which the negative pell equation  $y^2 = Dx^2 - 1$  is solvable or not. In this communication, the negative pell equation given by is considered and infinitely many integer solutions are obtained. A few interesting relations among the solutions are presented.

### 2. METHOD OF ANALYSIS

The negative pell equation representing hyperbola under consideration is,

$$y^2 = 5x^2 - 4 \quad (1)$$

Whose smallest positive integer solution is

$$x_0 = 1, y_0 = 1.$$

To obtain the other solutions of (1), consider the pell equation  $y^2 = 5x^2 + 1$  whose solution is given by

$$\tilde{x}_n = \frac{1}{2\sqrt{5}} g_n, \quad \tilde{y}_n = \frac{1}{2} f_n$$

Where

$$f_n = (9 + 4\sqrt{5})^{n+1} + (9 - 4\sqrt{5})^{n+1}$$

$$g_n = (9 + 4\sqrt{5})^{n+1} - (9 - 4\sqrt{5})^{n+1}$$

Applying Brahamagupta Lemma between  $(x_0, y_0)$  and  $(\tilde{x}_n, \tilde{y}_n)$ , the other integer solutions of (1) are given by

$$2\sqrt{5}x_{n+1} = \sqrt{5}f_n + g_n,$$

$$2y_{n+1} = f_n + \sqrt{5}g_n$$

Where  $n=0,1,2,\dots$

The recurrence relations satisfied by the solutions  $x$  and  $y$  are given by

$$x_{n+1} - 18x_{n+2} + x_{n+3} = 0,$$

$$y_{n+1} - 18y_{n+2} + y_{n+3} = 0.$$

Some numerical examples of  $x$  and  $y$  satisfying (1) are given in the Table I below.

Table I: Examples

n	$x_n$	$y_n$
0	1	1
1	13	29
2	233	521
3	4181	9349
4	75025	167761

From the above table, we observe some interesting relations among the solutions which are presented below.

- Both the values of  $x_n$  and  $y_n$  are odd.
- Each of the following expressions is a nasty number.

$$\begin{aligned} & \diamond \frac{87x_{2n+2} - 3x_{2n+3} + 48}{4} \\ & \diamond \frac{521x_{2n+2} - x_{2n+4} + 288}{24} \\ & \diamond \frac{65x_{2n+2} - y_{2n+3} + 36}{3} \\ & \diamond \frac{3495x_{2n+2} - 3y_{2n+4} + 1932}{161} \\ & \diamond \frac{1563x_{2n+3} - 87x_{2n+4} + 48}{4} \\ & \diamond \frac{10x_{2n+3} - 58y_{2n+2} + 72}{6} \\ & \diamond \frac{195x_{2n+3} - 87y_{2n+3} + 12}{3} \\ & \diamond \frac{1165x_{2n+3} - 29y_{2n+4} + 36}{3} \\ & \diamond \frac{15x_{2n+4} - 1563y_{2n+2} + 1932}{161} \\ & \diamond \frac{65x_{2n+4} - 521y_{2n+3} + 36}{3} \\ & \diamond \frac{3495x_{2n+4} - 1563y_{2n+4} + 12}{3} \\ & \diamond \frac{y_{2n+4} - 233y_{2n+2} + 288}{24} \\ & \diamond \frac{39y_{2n+4} - 699y_{2n+3} + 48}{4} \end{aligned}$$

- Each of the following expressions is a cubical integer.

$$\diamond \frac{29x_{3n+3} - x_{3n+4} + 87x_{n+1} - 3x_{n+2}}{8}$$

$$\begin{aligned} & \diamond \frac{521x_{3n+3} - x_{3n+5} + 1563x_{n+1} - 3x_{n+3}}{144} \\ & \diamond \frac{65x_{3n+3} - y_{3n+4} + 195x_{n+1} - 3y_{n+2}}{18} \\ & \diamond \frac{1165x_{3n+3} - y_{3n+5} + 3495x_{n+1} - 3y_{n+3}}{322} \\ & \diamond \frac{521x_{3n+4} - 29x_{3n+5} + 1563x_{n+2} - 87x_{n+3}}{8} \\ & \diamond \frac{5x_{3n+4} - 29y_{3n+3} + 15x_{n+2} - 87y_{n+1}}{18} \\ & \diamond \frac{65x_{3n+4} - 29y_{3n+4} + 195x_{n+2} - 87y_{n+2}}{2} \\ & \diamond \frac{1165x_{3n+4} - 29y_{3n+5} + 3495x_{n+2} - 87y_{n+3}}{18} \\ & \diamond \frac{5x_{3n+5} - 521y_{3n+3} + 15x_{n+3} - 1563y_{n+1}}{322} \\ & \diamond \frac{65x_{3n+5} - 521y_{3n+4} + 195x_{n+3} - 1563y_{n+2}}{18} \\ & \diamond \frac{1165x_{3n+5} - 521y_{3n+5} + 3495x_{n+3} - 1563y_{n+3}}{2} \\ & \diamond \frac{y_{3n+4} - 13y_{3n+3} + 3y_{n+2} - 39y_{n+1}}{8} \\ & \diamond \frac{y_{3n+5} - 233y_{3n+3} + 3y_{n+3} - 699y_{n+1}}{144} \end{aligned}$$

- Relations among the solutions.

$$\begin{aligned} & \diamond x_{n+3} = 18x_{n+2} - x_{n+1} \\ & \diamond 4y_{n+1} = x_{n+2} - 9x_{n+1} \\ & \diamond 4y_{n+2} = 9x_{n+2} - x_{n+1} \\ & \diamond 4y_{n+3} = 161x_{n+2} - 9x_{n+1} \\ & \diamond 72y_{n+1} = x_{n+3} - 161x_{n+1} \\ & \diamond 72y_{n+2} = 9x_{n+3} - 9x_{n+1} \\ & \diamond x_{n+3} = 8y_{n+2} + x_{n+1} \\ & \diamond 9y_{n+1} = y_{n+2} - 20x_{n+1} \\ & \diamond 161x_{n+3} = 72y_{n+3} + x_{n+1} \\ & \diamond y_{n+1} = 9y_{n+2} - 20x_{n+2} \\ & \diamond 4y_{n+3} = 72y_{n+2} - 4y_{n+1} \\ & \diamond y_{n+3} = 20x_{n+2} + 9y_{n+2} \end{aligned}$$

$$\diamond 161y_{n+1} = y_{n+3} - 360x_{n+1}$$

$$\diamond 9x_{n+3} = 161x_{n+2} - 4y_{n+1}$$

$$\diamond 9y_{n+3} = 360x_{n+2} + y_{n+1}$$

$$\diamond x_{n+3} = 9x_{n+2} - 4y_{n+2}$$

$$\diamond 9x_{n+3} = x_{n+2} + 4y_{n+3}$$

$$\diamond 161y_{n+3} = 360x_{n+3} + y_{n+1}$$

$$\diamond 9y_{n+3} = 20x_{n+3} + y_{n+2}$$

### 3. REMARKABLE OBSERVATIONS

i) Employing linear combinations among the solutions of (1), one may generate integer solutions for other choices of hyperbolas which are presented in the Table II below.

Table II: Hyperbolas

S. No	(X,Y)	Hyperbola
1	$(\sqrt{5}x_{n+2} - 13\sqrt{5}x_{n+1}, 29x_{n+1} - x_{n+2})$	$Y^2 - X^2 = 256$
2	$(\sqrt{5}x_{n+3} - 233\sqrt{5}x_{n+1}, 521x_{n+1} - x_{n+3})$	$Y^2 - X^2 = 82944$
3	$(\sqrt{5}y_{n+2} - 29\sqrt{5}x_{n+1}, 65x_{n+1} - y_{n+2})$	$Y^2 - X^2 = 1296$
4	$(\sqrt{5}y_{n+3} - 521\sqrt{5}x_{n+1}, 1165x_{n+1} - y_{n+3})$	$Y^2 - X^2 = 414736$
5	$(13\sqrt{5}x_{n+3} - 233\sqrt{5}x_{n+2}, 521x_{n+2} - 29x_{n+3})$	$Y^2 - X^2 = 259$
6	$(13\sqrt{5}y_{n+1} - \sqrt{5}x_{n+2}, 5x_{n+2} - 29y_{n+1})$	$Y^2 - X^2 = 1296$
7	$(13\sqrt{5}y_{n+2} - 29\sqrt{5}x_{n+1}, 65x_{n+2} - 29y_{n+2})$	$Y^2 - X^2 = 16$
8	$(13\sqrt{5}y_{n+3} - 521\sqrt{5}x_{n+2}, 1165x_{n+2} - 29y_{n+3})$	$Y^2 - X^2 = 1296$
9	$(233\sqrt{5}y_{n+1} - \sqrt{5}x_{n+3}, 5x_{n+3} - 521y_{n+1})$	$Y^2 - X^2 = 414736$
10	$(233\sqrt{5}y_{n+2} - 29\sqrt{5}x_{n+3}, 65x_{n+3} - 521y_{n+2})$	$Y^2 - X^2 = 1296$

11	$(233\sqrt{5}y_{n+3} - 521\sqrt{5}x_{n+3}, 1165x_{n+3} - 521y_{n+3})$	$Y^2 - X^2 = 16$
12	$(29y_{n+1} - y_{n+2}, y_{n+2} - 13y_{n+1})$	$5Y^2 - X^2 = 1280$
13	$(521y_{n+1} - y_{n+3}, y_{n+3} - 233y_{n+1})$	$5Y^2 - X^2 = 414720$
14	$(521y_{n+2} - 29y_{n+3}, 13y_{n+3} - 2333y_{n+2})$	$5Y^2 - X^2 = 1280$

ii) Employing linear combinations among the solutions of (1), one may generate integer solutions for other choices of parabolas which are presented in the Table III below.

Table III: Parabolas

S. No	(X,Y)	Parabola
1	$(\sqrt{5}x_{n+2} - 13\sqrt{5}x_{n+1}, 29x_{2n+2} - x_{2n+3})$	$X^2 = 8Y - 128$
2	$(\sqrt{5}x_{n+3} - 233\sqrt{5}x_{n+1}, 521x_{2n+2} - x_{2n+4})$	$X^2 = 144Y - 41472$
3	$(\sqrt{5}y_{n+2} - 29\sqrt{5}x_{n+1}, 65x_{2n+2} - y_{2n+3})$	$X^2 = 18Y - 648$
4	$(\sqrt{5}y_{n+3} - 521\sqrt{5}x_{n+1}, 1165x_{2n+2} - y_{2n+4})$	$X^2 = 322Y - 207368$
5	$(13\sqrt{5}x_{n+3} - 233\sqrt{5}x_{n+2}, 521x_{2n+3} - 29x_{2n+4})$	$X^2 = 8Y - 256$
6	$(13\sqrt{5}y_{n+1} - \sqrt{5}x_{n+2}, 5x_{2n+3} - 29y_{2n+2})$	$X^2 = 18Y - 648$
7	$(13\sqrt{5}y_{n+2} - 29\sqrt{5}x_{n+1}, 65x_{2n+3} - 29y_{2n+3})$	$X^2 = 2Y - 8$
8	$(13\sqrt{5}y_{n+3} - 521\sqrt{5}x_{n+2}, 1165x_{2n+3} - 29y_{2n+4})$	$X^2 = 18Y - 648$
9	$(233\sqrt{5}y_{n+1} - \sqrt{5}x_{n+3}, 5x_{2n+4} - 521y_{2n+2})$	$X^2 = 322Y - 207368$
10	$(233\sqrt{5}y_{n+2} - 29\sqrt{5}x_{n+3}, 65x_{2n+4} - 521y_{2n+3})$	$X^2 = 18Y - 648$

Negative pell Equation, *International Journal of*

11	$(233\sqrt{5}y_{n+3} - 521\sqrt{5}x_{n+3}, 1165x_{2n+4} - 521y_{2n+4})$	$X^2 = 2Y - 8$
12	$(29y_{n+1} - y_{n+2}, y_{2n+3} - 13y_{2n+2})$	$X^2 = 40Y - 640$
13	$(521y_{n+1} - y_{n+3}, y_{2n+4} - 233y_{2n+2})$	$X^2 = 720Y - 207360$
14	$(521y_{n+2} - 29y_{n+3}, 13y_{2n+4} - 2333y_{2n+3})$	$X^2 = 40Y - 640$

iii) Consider  $m = x_{n+1} + y_{n+1}, n = x_{n+1}$ , observe that  $m > n > 0$ . Treat  $m, n$  as the generators of the Pythagorean triangle  $T(\alpha, \beta, \gamma)$ ,  
 $\alpha = 2mn, \beta = m^2 - n^2, \gamma = m^2 + n^2$ .

Then the following interesting relations are observed.

- a)  $2\alpha + 3\gamma - 5\beta = 8$
- b)  $7\alpha - 2\gamma - 8 = 20\frac{A}{P}$
- c)  $\frac{2A}{P} = x_{n+1}y_{n+1}$

**4. CONCLUSION**

In this paper, we have presented infinitely many integer solutions for all hyperbola represented by the negative pell equation  $y^2 = 5x^2 - 4$ . As the binary quadratic Diophantine equations are rich in variety, one may search for the other choices of negative pell equations and determine their integer solutions along with suitable properties.

**REFERENCES**

[1] Mollin RA, Anitha srinivasan. A note on the 2017 AJAST All rights reserved.

*Algebra*, 2010; 4(19); 919-922.

[2] Whitford EE. Some Solutions of the Pellian Equations  $x^2 - Ay^2 = \pm 4$  JSTOR: *Annals of Mathematics, Second Series* 1913-1914; vol15, No.1/4; 157-160.

[3] S. Ahmet Tekcan. Betw Gezer and Osman Bizim, "On the Integer Solutions of the Pell Equation  $x^2 - dy^2 = 2^t$ ", *World Academy of Science, Engineering and Technology* 2007; 1; 522-526.

[4] Ahmet Tekcan, The Pell Equation  $x^2 - (k^2 - k)y^2 = 2^t$ . *World Academy of Science, Engineering and Technology* 2008; 19; 697-701.

[5] Merve Guney. of the Pell equations  $x^2 - (a^2b^2 + 2b)y^2 = 2^t$ , when  $N \in (\pm 1, \pm 4)$ , *Mathematica Aterna* 2012; 2(7); 629-638.

[6] V. Sangeetha, M.A. Gopalan, Manju Somanath. "On the Integral Solutions of the pell equation

- $x^2 = 13y^2 - 3t$  », *International Journal of Applied Mathematical Research*, 2014; 3(1); 58-61.
- [7] M.A. Gopalan, G. Sumathi, S.Vidhyalakshmi. Observations on the hyperbola  $x^2 = 19y^2 - 3t$  , *Scholars Journal of the Engineering and Technology*. 2014; 2(2A); 152-155.
- [8] M.A.Gopalan, S. Vidhyalakshmi, A. Kavitha. “On the Integral Solution of the Binary Quadratic Equation  $x^2 = 15y^2 - 11t$ ”, *Scholars Journal of the Engineering and Technology*, 2014; 2(2A); 156-158.
- [9] S. Vidhyalakshmi., V. Krithika.s., K. Agalya., “On the Negative Pell Equation  $y^2 = 80x^2 - 31$ ”, *Proceedings of the National Conference on MATAM, Dindukul-2015*, 4-9.
- [10] K. Meena, M.A. Gopalan, R. Karthika, “On the Negative Pell Equation  $y^2 = 10x^2 - 6$  ”, *International Journal of Multidisciplinary Research and Development*, vol-2; issue12; Dec 2015; 390-392.
- [11] M.A. Gopalan, S.Vidhyalakshmi, V. Pandichelvi, P. Sivakamasundari, C. Priyadharsini, “On the Negative Pell Equation  $y^2 = 45x^2 - 11$ ”, *International Journal of pure Mathematical Science*, 2016; vol-16; 30-36.
- [12] K. Meena, S. Vidhyalakshmi, A. Rukmani, “On the Negative Pell Equation  $y^2 = 31x^2 - 6$  ”, *Universe of Emerging Technologies and Science*, Dec 2015; vol II, Issue XII; 1-4.
- [13] K. Meena, M.A. Gopalan, E. Bhuvanewari, “On the Negative Pell Equation  $y^2 = 60x^2 - 15$ ”, *Scholars Bulletin*, Dec 2015; vol-1, Issue-11; 310-316.
- [14] M.A. Gopalan, S. Vidhyalakshmi, R. Presenna, M. Vanitha, “Observation on the Negative Pell Equation  $y^2 = 180x^2 - 11$  ”, *Universal Journal of Mathematics*, vol-2, No:1; 41-45.
- [15] S. Vidhyalakshmi, M.A. Gopalan, E. Premalatha, S. Sofia christinal, “On the Negative Pell Equation  $y^2 = 72x^2 - 8$  ”, *International Journal of Emerging Technologies in Engineering Research (IJETER)*, vol-4, Issue 2, Feb 2016, 25-28.
- [16] M.A. Gopalan, S. Vidhyalakshmi, N. Thiruniraiselvi, “A study on the Hyperbola  $y^2 = 8x^2 - 31$  ”, *International Journal of Latest Research in Science and Technology*, Feb 2013, vol-2(1), 454-456.
- [17] M.A. Gopalan, S. Vidhyalakshmi, T.R. Usha Rani and S. Mallika, “Observations on  $y^2 = 12x^2 - 3$ ”, *Bessel Journal of Math*, 2012, 2(3), 153-158.